BEST AVAILABLE COPY

Customer No.: 31561 Application No.: 10/063,910 Docket No.: 7794-US-PA

In The Claims:

Claim 1. (currently amended) A method of integrally forming an integrated structure of a light-guide board and an optical thin film, comprising:

providing a mold and the optical thin film comprising at least and a mold, and a polarizer, wherein the mold has a first space and a second space, and the first space has a surface on which no pattern is formed;

disposing the optical thin film in the first space of the mold; and injecting a light-guide material into the second space of the mold.

Claim 2. (currently amended) The method according to claim 1, wherein the step of providing the optical thin film includes a step of providing a multi-layer thin film.

Claim 3. (currently amended) The method according to claim 1, wherein the step of providing the optical thin film includes a step of providing a single-layer thin film.

Claim 4. (currently amended) The method according to claim 1, wherein the step of injecting the light-guide material mold includes an injection mold molding, a compression mold molding and an injection compression mold molding.

Claim 5. (currently amended) The method according to claim 4, wherein the injection molding step uses a lying type injection machine.

Claim 6. (currently amended) The method according to claim 4, wherein the injection molding step uses a standing type injection machine.

Page 2 of 10

PAGE S112 * RCVD & T 8131/2004 1:20:34 AM [Eastern Daylight Time] * SVR:USPTO EFXRF-110 * DNIS-8729306 * CSIC-888 Z 2369733 * DURALUM (mm-cs-):05-XX

Customer No.: 31561 Application No.: 10/063,910 Docket No.: 7794-US-PA

Claim 7. (currently amended) The method according to claim 1 4, wherein the step of injecting the light-guide material includes injecting a polymer.

Claim 8. (currently amended) A method of integrally forming a structure of a light-guide board and an optical thin film, comprising:

providing a mold and the optical thin film comprising at least a polarizer, and a mold, wherein the mold has a first space and a second space;

disposing the optical thin film on one surface of the mold, wherein the surface has no pattern thereon; and

injecting a light-guide material in the mold to fill another space without the optical thin film, and curing the light-guide material to form a light-guide board adhered to the optical thin film.

Claim 9. (currently amended) The method according to claim 8, wherein the step of providing the optical thin film includes a step of providing a multi-layer thin film.

Claim 10. (currently amended) The method according to claim 8, wherein the step of providing the optical thin film includes a step of providing a single-layer thin film.

Claim 11. (currently amended) The method according to claim 8, wherein the step of injecting the light-guide material mold includes an injection mold molding, a compression mold molding and an injection compression mold molding.

Claim 12. (currently amended) The method according to claim 11, wherein the injection molding step uses a lying type injection machine.

Page 3 of 10

Customer No.: 31561 Application No.: 10/063,910 Docket No.: 7794-US-PA

Claim 13. (currently amended) The method according to claim 11, wherein the injection molding step uses a standing type injection machine.

Claim 14. (currently amended) The method according to claim 8, wherein the step of injecting the light-guide material includes injecting a polymer.

Claim 15. (currently amended) A method of integrally forming a structure with a lightguide board and an optical thin film, comprising:

providing a polarizer, disposing the optical thin film comprising at least a polarizer on a first one surface of the mold into a mold, wherein the first surface has no pattern thereon; and

forming the light-guide board on a second surface opposing to the optical thin film via an injection molding, a compression molding or an injection compression molding step, wherein the second surface has a pattern thereon.

Claim 16. (currently amended) The method according to claim 15, wherein the step of disposing the optical thin film includes a step of disposing a multi-layer thin film.

Claim 17. (currently amended) The method according to claim 15, wherein the step of disposing the optical thin film includes a step of disposing a single-layer thin film.

Claim 18. (currently amended) The method according to claim 15, further comprising using a lying type injection machine for forming the light-guide board.

Claim 19. (currently amended) The method according to claim 15, further comprising using a standing type injection machine for forming the light-guide board.

Page 4 of 10

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

BLACK BORDERS

☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
☐ FADED TEXT OR DRAWING
☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
☐ SKEWED/SLANTED IMAGES
☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
GRAY SCALE DOCUMENTS
LINES OR MARKS ON ORIGINAL DOCUMENT
☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
□ OTHER:

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.